

# By OnlineInterviewQuestions.com

## Capgemini Java interview questions

**Q1. What are different exception types exceptions available in Java ?**

**Q2. What is database normalization? Explain types of it.**

In SQL, normalization of data is a process through which data is organized in tables used for the reduction of redundancy and dependency of data. It divides large tables into smaller ones using some set of rules.

### **Types of normalization:**

- **1NF:** The rules of 1NF are that each table must contain a single value and records are required to be unique.
- **2NF:** The rules of 2NF are that the table must be in 1NF and must possess a single-column primary key.
- **3NF:** The rules of 3NF are that the table must be in 2NF and must not have any transitive functional dependencies.
- **BCNF:** The rules of the Boyce Codd Normal form is that it must be in 3NF and must not have more than one candidate key.

**Q3. What is difference between Class and object In JAVA?**

Difference between Class and object In JAVA:

- **Class** - A class is like a blueprint. It is the class with the help of which objects are created. The class holds together data and methods in one single unit. And the class needs to be declared only a single time.
- **Object** - This is an instance of the class. It is with the help of an object that data and methods that exist within a class can be used. Objects can be called upon several times as and when required.

**Q4. Explain Inversion of Control, how to implement it.**

**Inversion of control** is a design pattern that is used for decoupling components and layers of a system. Inversion of control(IOC) is implemented through injecting dependencies into a component when it is constructed.

### **Q5. Explain What is Spring MVC?**

**Spring MVC** is a framework of Java used for developing web applications. It follows the design pattern of Model-View-Controller. A spring MVC gives an optimum solution to use the spring framework along with MVC. To do so, it takes the help of the DispatcherServlet that receives the incoming request and then implements it to a suitable resource including controllers, views, and models. Spring MVC has a number of advantages such as rapid development and ease of testing.

### **Q6. What are design patterns. Please explain?**

**Design patterns** can be explained as a general repeatable solution to a problem that is occurring commonly in large numbers during the designing of the software. Design patterns are not considered as a finished design and cannot be directly converted into code. It can be defined as a description or a template that depicts how to solve a problem that is occurring in different situations. It speeds up the development process.

### **Q7. Write code to implement bubble sort in Java?**

### **Q8. What is a cursor and index in SQL ?**

In SQL, a cursor can be defined as a tool used widely to define a particular set of results. This result can be a set of data rows. A cursor is basically used to solve complex logic and works on a row by row manner.

**Index**, on the other hand, has the main function of retrieving data from tables much quicker. Indexes are created by users on columns that may be accessed frequently. This enables the user to get information quickly from the table and can be created on a single column or even a group.

### **Q9. What is JVM? How its run?**

**JVM** stands for Java Virtual Machine. JVM can be explained as an engine that is used by the Java Development Kit to provide a runtime environment to run java code or its applications. The main function of JVM is that it is used for converting Java bytecode into machine language. It is an integral part of the Java Runtime Environment. It works on “Write once, run anywhere” principle and manages the program memory.

### **Q10. Write a program to check for a prime number in Java?**

A number that is divisible by 1 or itself is a Prime Number. 2, 3, 5, 7, 11, 13, 17 are examples of some Prime numbers.

**Please Note:** 0 and 1 are not a prime number.

Below is a simple **Prime number Program in Java** to check a number is Prime or Not.

```
import java.util.Scanner;
public class PrimeExample {
    public static void main(String args[]) {
        int i, m = 0, flag = 0;
        Scanner scan = new Scanner(System.in);
        System.out.print("Enter any number: ");
        // This method reads the number provided using keyboard
        int num = scan.nextInt();
        // Closing Scanner after the use
        scan.close();
        m = num / 2;
        if (num == 0 || num == 1) {
            System.out.println(num + " is not prime number");
        } else {
            for (i = 2; i <= m; i++) {
                if (num % i == 0) {
                    System.out.println(num + " is not prime number");
                    flag = 1;
                    break;
                }
            }
            if (flag == 0) {
                System.out.println(num + " is prime number");
            }
        } //end of else
    }
}
```

**Q11. [Write a program to find the greatest of three numbers in Java?](#)**

**Q12. [What is hashing in Java?](#)**

**Q13. [Write an sql query for deleting duplicate rows ?](#)**

**Q14. [Explain the difference between call by refrence and call by value?](#)**

**Q15. [What are structs in java?](#)**

**Structs** is a framework in Java. The use of this framework is for the development of the Java enterprise edition

purpose. It is an open-source framework. This is a very reliable and efficient working framework. In order to introduce the MVC which is known as the model view controller, it makes use of the Java servlet API and also it extends its functions for more results. It later became one of the best frameworks that were designed in the Apache project.

### Q16. Write a java program for binary search?

### Q17. What are Mutable classes?

**Mutable classes** are the classes that are being prepared can change its internal state anytime without any issue. Also, it can change the state even after it has been already developed. The classes here are not the ones that are actually mutable. But the object that consists inside it, they are actually the mutated ones. Until we can prevent it from any change after it has been developed. It also depends strongly on the language that is being used.

### Q18. What is jfreechart?

**JFreeChart** is a java chart library that helps developers to show good and quality charts in the applications they developed. It is open-source software that is distributed under the conditions of GNU Lesser General Public Licence. Jfreechart is totally free and it is made up of different features. Some of the extensive features of Jfreechart are:

- A well written and constant API that supports a large number of chart types.
- The design is flexible and extending it is easy. It targets client and server-side applications.
- JavaFX and Swing components, vector graphics file formats such as SVG, PDF, image files such as JPEG and PNG are some of the output types it supports.

### Q19. What is a daemon thread in Java?

**Daemon thread** is a low need string (in setting of JVM) that runs in foundation to perform assignments, for example, trash assortment (GC) and so forth., they don't keep the JVM from leaving (regardless of whether the daemon string itself is running) when all the client strings (non-daemon strings) finish their execution. JVM ends itself when all client strings (non-daemon strings) finish their execution, JVM couldn't care less whether Daemon string is running or not, if JVM discovers running daemon (endless supply of client strings), it ends the string and after that shutdown itself.

### Q20. What is an applet program?

An **applet is a Java** application that could be installed into a web page and runs within the web browser and operates at the client-side. It is usually embedded in an HTML page using the APPLET or OBJECT tag and

treated on a web server.

Applets are employed to make the web site more productive and entertaining. All applets are sub-classes (directly or indirectly) of java.applet. Applet class and are not stand-alone applications. Instead, they work in a web browser or an applet viewer. JDK provides a standard applet viewing tool known as applet viewer. In general, the working of an applet does not begin at the main() method. When an applet starts, the init(), start() and paint() methods are called in a sequence and when an applet is terminated, stop( )and destroy( ) method calls take place.

Please Visit [OnlineInterviewquestions.com](http://OnlineInterviewquestions.com) to download more pdfs