## By OnlineInterviewQuestions.com

## **Angular 2 Multiple Choice Interview Questions**

### Take Angular 2 MCQ Test to Test Your Knowledge

Practice here the best **Angular 2 MCQ Questions** that check your basic knowledge of Angular 2 Framework. This **Angular 2 MCQ Test** contains 25+ Top Multiple Choice Questions with 4 options. Apart from this, you can also download here the **Angular 2 MCQ PDF**, completely free.

Also, Read the Best Angular 2 Interview Questions.

### Q1. .angular-cli.json is used to ......

- A. link external files
- B. configure your angular 2 project
- C. install required project packages
- **D.** None of the above

### Q2. Which file is responsible for startup of angular 2 project?

- A. main.ts
- **B.** index.js
- C. app.ts
- **D.** angular.cli.json

### Q3. Which of the following is the correct way to apply a filter?

- A. Property-value || filter
- **B.** Property-value && filter
- C. Property-value | filter

### Q4. What is the decorator used for configuring your module class?

• A. @NgApp

- B. @NgModule
- C. @NgAngular
- D. @NgConfigure

### Q5. Interpolation in angular 2 is done using ......

- A. {{}}
- **B.** {{|var}}
- C. {{{}}}
- D. !!!!

### Q6. What does AOT stand for?

- A. Angular Object Templates
- B. ahead-of-time compilation
- C. Angular Open Terminal
- **D.** None of the above

### **Q7.** AngularJS 2.0 is a ......

- A. library
- B. Framework
- C. Operating System
- **D.** programming Language

### Q8. Which character is used for chaining multiple pipes in Angular?

- A. :
- B. -
- C. \
- D.

### Q9. Which of the following filter is used to convert input to all uppercase?

```
 {{value| uppercase}}
```

• A. upper

- B. uppercase
- C. toUpper
- **D.** none of the above

### Q10. Which of the following is not a hook in Angular 2 application life cycle?

- A. ngOnChanges
- **B.** ngOnInit
- C. ngAfterViewInit
- D. ngViewStart

## Q11. Angular 2 is an open source JavaScript framework to build web applications in HTML and JavaScript. It has been conceived as a.....

- A. UI first approach
- **B.** Web first approach
- C. Mobile first approach
- **D.** None of the above

## Q12. Which of the following service has Angular 2, that allows us to dynamically load a component in a certain position on the page?

- A. DynamicComponentLoader
- B. DynamicControlLoader
- C. DynamicControllerLoader
- **D.** None of the above

### Q13. Which of the following option is using Angular 2 to detect changes?

- A. Scope.js
- **B.** zone\$.js
- C. zone.js
- **D.** zones.js

### Q14. Which of the following is the new features of Angular2?

- A. Component-Based
- **B.** Dependency Injection
- C. Use of TypeScript

#### • D. All of the Above

### Q15. Which of the following is the advantage Of AOT Compilation?

- A. Needs cleanup step before compiling
- **B.** Need to maintain AOT version of bootstrap file
- C. Works only with HTML and CSS
- D. Detect error at build time

### Q16. Which of the following is not a feature of Angular 2?

- A. Components
- B. Multithread
- C. TypeScript
- D. Services

### Q17. To start working with Angular 2, we need to install the \_\_\_\_\_components.

- **A.** Npm
- B. Editor
- C. GIT
- D. All of the above

### Q18. Which of the following is true?

- A. Angular 2 Components can be used to add more data to an Angular JS class
- **B.** Angular 2 Services can be used to add more data to an Angular JS class.
- C. Angular 2 Metadata can be used to add more data to an Angular JS class.
- **D.** All of these

### Q19. Which of the following option is correct about tsconfig.json?

- A. This file contains information about Angular 2 project.
- **B.** This file contains the system files required for Angular JS application.
- C. This file is used to give the options about TypeScript used for the Angular JS project.
- **D.** All of the above

Q20. Angular 2 still does not provide nested components.
<ul> <li>A. False</li> <li>B. True</li> </ul>
Q21. Which of the following is used to define the views of an Angular JS application?
<ul> <li>A. Templates</li> <li>B. Metadata</li> <li>C. Service</li> <li>D. Modules</li> </ul>
Q22. Which can be used to bring the modules together?
<ul> <li>A. Metadata</li> <li>B. Service</li> <li>C. Component</li> <li>D. None of the above</li> </ul>
Q23. What are the key features of Angular 2?
<ul> <li>A. Services</li> <li>B. TypeScript</li> <li>C. Components</li> <li>D. All of the above</li> </ul>
Q24. Which of the following is used to export components, directives, and pipes which can then be used in other modules?
<ul> <li>A. Export array</li> <li>B. Import array</li> <li>C. Bootstrap array</li> <li>D. None of the above</li> </ul>

Q25. Which of the following element is used to elements based on the condition of the For

loop?

- A. ngFor
- B. ngIf
- C. Both ngIf & ngFor
- **D.** None of the Above

# Q26. Which of the following option is used to bind the expression username to the input element's value property?

- A. [value] = "username"
- **B.** (input) = "expression"
- C. \$event
- **D.** username = \$event.target.value

Please Visit OnlineInterviewquestions.com to download more pdfs