

By OnlineInterviewQuestions.com

Building Construction MCQ Test

Take Building Construction MCQ Test & Online Quiz to test your Knowledge

Below is the **Building Construction MCQ** test that checks your basic knowledge of Building Construction. This **Building Construction MCQ Test** contains 20 Multiple Choice Questions. You have to select the right answer to the question. Finally, you can also take the Online Quiz from the Take **Building Construction Quiz** Button.

Q1. Queen closer may be placed in

- A. Any position
- B. Stretcher course
- **C. Header course next to first brick**
- D. None of the above

Q2. What is called the portion of a brick cut across the width?

- **A. Bat**
- B. Bed
- C. Closer
- D. Half brick

Q3. The concrete slump recommended for beams and slabs ; is

- A. 25 to 50 mm
- **B. 30 to 125 mm**
- C. 50 to 100 mm
- D. None of the above

Q4. In case of multi-storeyed buildings, the forms to be removed first are

- A. Column forms

- **B. Sides of beams and girders**
- C. Bottom of beams and girders
- D. None of the above

Q5. is used for monumental buildings.

- A. Slate.
- **B. Marble**
- C. Granite
- D. Sand stone

Q6. Choose the correct statement from the following option?

- A. Lime surkhi mortar is used for pointing the walls
- B. Lime should be slaked before preparing lime mortar
- C. High early strength concrete is generally used in cold weather.
- **D. Cement is added to lime mortar to increase its hydraulic properties only**

Q7. The Thickness of the cement concrete is in horizontal DPC.

- **A. 4 cm**
- B. 6 cm
- C. 8 cm
- D. 2 cm

Q8. What are called the angular steps used for changing direction of the stairs?

- **A. Winders**
- B. Round steps
- C. Radial steps
- D. Circular steps

Q9. How much is the maximum permissible deflection of a timber beam supporting a roof?

- A. L/260
- **B. L/360**
- C. L/100
- D. None of the above

Q10. What are the dimensions of a half queen closer?

- A. 9 cm x 9 cm x 9 cm
- **B. 9 cm x 4.5 cm x 9 cm**
- C. 9 cm x 9 cm x 4.5 cm
- D. 8 cm x 4.5 cm x 9 cm

Q11. Which of the following is the maximum bearing capacity of the soil?

- A. Hard rocks
- **B. Soft clay soil**
- C. Black cotton soil
- D. Dry coarse sandy soil

Q12. Which are the columns of multi-story buildings designed to withstand the forces?

- A. Live loads
- B. Wind loads
- C. Earthquakes
- **D. All of the above**

Q13. What is the ration of lime-sand mortar for brick construction?

- A. 1:1
- **B. 1:2**
- C. 1:4
- D. 1:5.

Q14. What is the alignment of a cross joint along the plumb line?

- A. Lintel
- **B. Perpend**
- C. Bed block

- D. Vertical line

Q15. Which of the following stone has the least crushing strength?

- A. Slate
- **B. Chalk**
- C. Marble
- D. Granite

Q16. The process of filling hollow spaces of walls before plastering is known as

- A. Peeling
- B. Blistering
- C. Hacking
- **D. Dubbing out**

Q17. The construction joints in buildings are provided after

- A. 10 m
- B. 20 m
- **C. 40 m**
- D. None of the above

Q18. Open test pit is only suitable upto a depth of

- A. 2 metres
- B. 2.5 metres
- **C. 3 metres**
- D. 3.5 metres

Q19. To obtain good bonding in brick masonry

- A. First class bricks are used
- B. Bats are used where necessary
- C. Vertical joints in alternate courses are kept in plumb line
- **D. All of the above**

Q20. Expansion joints in masonry walls are provided if length exceeds

- A. 10 m
- B. 30 m
- C. 20 m
- **D. 40 m**

Please Visit [OnlineInterviewquestions.com](https://www.onlineinterviewquestions.com) to download more pdfs