

# By OnlineInterviewQuestions.com

## Building Construction MCQ Test

### Take Building Construction MCQ Test & Online Quiz to test your Knowledge

Below is the **Building Construction MCQ** test that checks your basic knowledge of Building Construction. This **Building Construction MCQ Test** contains 20 Multiple Choice Questions. You have to select the right answer to the question. apart from this, you can also download Building Construction Mcq PDF, completely free.

**Q1. Queen closer may be placed in .....**

- A. Any position
- B. Stretcher course
- **C. Header course next to first brick**
- D. None of the above

**Q2. What is called the portion of a brick cut across the width?**

- **A. Bat**
- B. Bed
- C. Closer
- D. Half brick

**Q3. The concrete slump recommended for beams and slabs ; is .....**

- A. 25 to 50 mm
- **B. 30 to 125 mm**
- C. 50 to 100 mm
- D. None of the above

**Q4. In case of multi-storeyed buildings, the forms to be removed first are .....**

- A. Column forms
- **B. Sides of beams and girders**

- C. Bottom of beams and girders
- D. None of the above

**Q5. .... is used for monumental buildings.**

- A. Slate.
- **B. Marble**
- C. Granite
- D. Sand stone

**Q6. Choose the correct statement from the following option?**

- A. Lime surkhi mortar is used for pointing the walls
- B. Lime should be slaked before preparing lime mortar
- C. High early strength concrete is generally used in cold weather.
- **D. Cement is added to lime mortar to increase its hydraulic properties only**

**Q7. The Thickness of the cement concrete is ..... in horizontal DPC.**

- **A. 4 cm**
- B. 6 cm
- C. 8 cm
- D. 2 cm

**Q8. What are called the angular steps used for changing direction of the stairs?**

- **A. Winders**
- B. Round steps
- C. Radial steps
- D. Circular steps

**Q9. How much is the maximum permissible deflection of a timber beam supporting a roof?**

- A.  $L/260$
- **B.  $L/360$**
- C.  $L/100$
- D. None of the above

**Q10. What are the dimensions of a half queen closer?**

- A. 9 cm x 9 cm x 9 cm
- **B. 9 cm x 4.5 cm x 9 cm**
- C. 9 cm x 9 cm x 4.5 cm
- D. 8 cm x 4.5 cm x 9 cm

**Q11. Which of the following is the maximum bearing capacity of the soil?**

- A. Hard rocks
- **B. Soft clay soil**
- C. Black cotton soil
- D. Dry coarse sandy soil

**Q12. Which are the columns of multi-story buildings designed to withstand the forces?**

- A. Live loads
- B. Wind loads
- C. Earthquakes
- **D. All of the above**

**Q13. What is the ration of lime-sand mortar for brick construction?**

- A. 1:1
- **B. 1:2**
- C. 1:4
- D. 1:5.

**Q14. What is the alignment of a cross joint along the plumb line?**

- A. Lintel
- **B. Perpend**
- C. Bed block
- D. Vertical line

**Q15. Which of the following stone has the least crushing strength?**

- A. Slate
- **B. Chalk**
- C. Marble
- D. Granite

**Q16. The process of filling hollow spaces of walls before plastering is known as .....**

- A. Peeling
- B. Blistering
- C. Hacking
- **D. Dubbing out**

**Q17. The construction joints in buildings are provided after .....**

- A. 10 m
- B. 20 m
- **C. 40 m**
- D. None of the above

**Q18. Open test pit is only suitable upto a depth of .....**

- A. 2 metres
- B. 2.5 metres
- **C. 3 metres**
- D. 3.5 metres

**Q19. To obtain good bonding in brick masonry**

- A. First class bricks are used
- B. Bats are used where necessary
- C. Vertical joints in alternate courses are kept in plumb line
- **D. All of the above**

**Q20. Expansion joints in masonry walls are provided if length exceeds**

- A. 10 m
- B. 30 m
- C. 20 m

- **D. 40 m**

Please Visit [OnlineInterviewquestions.com](http://OnlineInterviewquestions.com) to download more pdfs