By OnlineInterviewQuestions.com

React JS MCQ

Take React Js MCQ Quiz to Test Your Knowledge.

React JS is the latest and most popular JavaScript framework. This **React Js MCQ** Test contains 30+ React Js Multiple Choice Questions. So, you have to select the right answer to check your final preparation for your Exams & Interviews. Besides this, you can also download the **React Js MCQ PDF** Completely Free.

Also, Read Best React Interview Questions.

Q1. React.js is a free and open-source front-end

- A. JavaScript library
- **B.** Bootstrap library
- C. CSS library
- **D.** None of the Above

Q2. React.js was Initially released in

- A. May 29, 2013
- B. April 29, 2013
- C. June 29, 2013
- **D.** May 29, 2014

Q3. React.js has Written in

- A. JavaScript
- **B.** Python
- C. Java
- **D.** Php

Q4. is used in React.js to increase performance?

- A. Virtual DOM
- **B.** Original DOM

- C. Both Original & Virtual DOM
- **D.** None of the Above

Q5. What is Babel?

- A. A JavaScript transpiler
- **B.** A JavaScript interpreter
- C. A JavaScript Compiler
- **D.** None of the above

Q6. Which of the following command is used to create a react app?

- A. install -g create-react-app
- **B.** npm install create-react-app
- C. npx create-react-app reactapp
- **D.** None of the Above

Q7. port is the default where the webpack-dev-server will run.

- **A.** 3030
- **B. 8080**
- **C.** 3306
- **D.** 3000

Q8. A valid react component can return only element.

- **A.** 2
- **B.** 3
- C. 1
- **D.** 4

Q9. A state in React.js is also known is

- A. A permanent storage.
- B. An Internal storage of the component.
- C. An External storage of the component.
- **D.** All of the above

Q10. In React js what is used to pass data to a component from outside?

- A. setState
- **B.** render with arguments
- C. props
- **D.** PropTypes

Q11. How can you access the state of a component from inside of a member function?

- A. this.getState()
- B. this.values
- **C.** this.prototype.stateValue
- **D.** this.state

Q12. Props are _____ into other components.

- A. Methods
- B. Injected
- C. Both 1 & 2
- **D.** All of the above

Q13. What is a react.js in MVC?

- A. Middleware
- **B.** Controller
- C. Model
- D. View

Q14. Keys are given to a list of elements in react. These keys should be -

- A. Do not requires to be unique
- **B.** Unique in the DOM
- C. Unique among the siblings only
- **D.** All of the above

Q15. Which of the following is the correct data flow sequence of flux concept?

- A. Dispatcher->Action->Store->View
- **B.** Action->Dispatcher->View->Store
- C. Action->Dispatcher->Store->View
- **D.** Action->Store->Dispatcher->View

Q16. React.js covers only the view layer of the app.

- A. Yes
- **B.** No

Q17. React was originally developed by

- A. Jordan Walke
- B. Rasmus Lerdorf
- C. Miško Hevery
- **D.** None of the above

Q18. helps react for keeping their data unidirectional.

- A. JSX
- B. Flux
- C. Dom
- **D.** Props

Q19. React merges the object you provide into the current state using setState().

- A. True
- **B.** False

Q20. Arbitrary inputs of components are called

- A. Ref
- **B.** Keys
- C. Props
- **D.** Elements

Q21. We can prevent default behavior in React using

- A. revokeDefault()
- B. preventDefault()
- C. avoidDefault()
- **D.** None of the Above

Q22. React is mainly used for building

- A. Database
- B. User interface
- C. Connectivity
- **D.** Design platform

Q23. What is the smallest building block of ReactJS?

- A. props
- **B.** elements
- C. components
- **D.** None of the Above

Q24. Which function is used to change the state of react component?

- A. this.State{}
- B. this.setState
- C. this.setChangeState
- **D.** None of the Above

Q25. What is React js?

- A. client-side framework
- **B.** server-side framework
- C. ui (user interface) framework
- **D.** None of the above

Q26. Which of the following is used to create a class inheritance?

- A. this
- **B.** Create
- C. Extends
- **D.** Inherits

Q27. What are the ways to handle data in react.js?

- A. state & services
- **B.** state & component
- C. State & props
- **D.** services & component

Q28. Which of the following method is used for the parent class in React.Js?

- A. self()
- **B.** this()
- C. Inherits()
- D. super()

Q29. React components are saved in directory.

- A. js/components
- **B.** components/js
- C. vendor/components
- **D.** None of the above

Q30. useLayoutEffect function is used to

- A. complete the update
- **B.** optimize for all devices
- C. change the layout of the screen
- D. when we need the browser to paint before effectors

Please Visit OnlineInterviewquestions.com to download more pdfs