

[By OnlineInterviewQuestions.com](http://OnlineInterviewQuestions.com)

[Array Questions in PHP interviews](#)

What is PHP Array?

PHP array is a special type of variable that can hold multiple values in one single variable. There are 3 different types of array available in PHP Programming Language they are **Indexed arrays**, **Associative arrays**, and **Multidimensional arrays**.

Here is the list of top **PHP array interview questions** that can be asked by the Interviewer in PHP Interviews to Freshers and Experience.

Q1. [What is an array in PHP?](#)

PHP Array is a special type of variable that stores multiple values in a single variable. There are 3 types of array available in PHP they are

- Indexed arrays
- Associative arrays
- Multidimensional arrays

Q2. [How to create an empty array in PHP?](#)

It is very easy to create an array in PHP. You can create an array in PHP using array() function or simply assigning [] in front of variable.

```
$array1=array() or $array1=[];
```

Q3. [How to get number of elements in an Array?](#)

You can use count() function to count the number of elements in a PHP Array.

```
$array=['ram','ravi','ajay','vijay'];  
echo count($array); // outputs 4
```

Q4. [What is difference between array_merge and array_combine?](#)

Q5. How to check a key exist in an array?

PHP `array_key_exists()` Function is used to check a key exist or not in an array.

Example Uses

```
<?php
$a=array( "fruit"=>"Apple" , "Car"=>"BMW" );
if (array_key_exists("Apple",$a))
{
    echo "Array Key exists!";
}
else
{
    echo "Array Key does not exist!";
}
?>
```

Q6. How to create an array from PHP string?

PHP `explode()` function is used to create an array from a string in PHP. Explode function breaks a string using a delimiter into an array.

Below is the basic syntax to convert a string to an array in PHP

```
<?php
$string = "This is a string in PHP";
$php_array= explode(" ",$string);
print_r(" ",$php_array);
?>
```

Q7. How to Delete an element from an array?

You can use **`array_splice()`** or **`unset()`** function to delete an element from PHP array.

Q8. List types of array are available in PHP?

There are basically three types of arrays available in PHP. They are:

- Indexed arrays
- Associative arrays
- Multidimensional arrays

Q9. List functions available to sort an php array?

PHP functions for Sorting Arrays are

- **sort():** Used for sorting arrays in ascending order.
- **rsort():** used for sorting arrays in descending order
- **asort():** used to sort associative arrays in ascending order, by value
- **ksort():** used to sort associative arrays in ascending order, by key
- **arsort():** used to sort associative arrays in descending order, by value
- **krsort():** used sort associative arrays in descending order, by key

Q10. How to convert a JSON string to an array in PHP?

`json_encode()` function is used to convert a JSON string to an array in PHP.

Syntax

```
json_decode(string, assoc, depth, options)
```

Q11. What is difference between count or sizeof function in php?

Q12. How to remove duplicate values from PHP Array?

Q13. How to get a random value from a PHP array?

`array_rand()` function is used to get random value from PHP array.

Usage

```
<?php
$a=array("apple","banana","grapes","mango","orange");
echo $random_value=array_rand($a);
?>
```

Q14. What is difference between array PUSH and POP?

Array PUSH and POP both are inbuilt PHP functions and used to work with an array.

Array push is used to add one or more elements onto the end of an array

Example

```
<?php
$a=array("car","truck");
array_push($a,"van","plane");
print_r($a);
?>
```

Array pop removes and returns the value of the last element of an array..

Syntax

```
<?php
$stack = array("orange", "banana", "apple", "raspberry");
echo $fruit = array_pop($stack); // prints raspberry
?>
```

Please Visit OnlineInterviewquestions.com to download more pdfs