

By OnlineInterviewQuestions.com

String Interview Questions in PHP

Q1. What is String in PHP?

The **String** is a collection or set of characters in sequence in PHP. The String in PHP is used to save and manipulate like an **update**, **delete** and **read** the data.

Q2. How to cast a php string to integer?

The **int** or integer used for a variable into an integer in PHP.

Q3. How to perform string concatenation in PHP?

The **string** concatenation means two strings connect together. The dot (.) sign used in PHP to combine two string.

Example:-

```
<?php $stringa = " creative ";  
$stringb = "writing ";  
echo $stringa . $stringb; ?>
```

Q4. How to get php string length?

To determine the **string length** in PHP, **strlen()** function used.

Example:-

```
echo strlen("creative writing");
```

Q5. List some escape characters in PHP?

Some list escape characters in PHP there are:-

- \'

- \"
- \\
- \n
- \t
- \r

Q6. How to convert special characters to unicode in php?

There is function `json_encode()` which is **converted special characters** to Unicode in PHP.

Example:-

```
$stringa = " I am good at smiling";
print_r(json_encode($stringa));
```

Q7. How to add double quotes in string in php?

The double quotes in string using (" ") sign and write content under this sign. The double quotes convert variable as value.

An example is below:-

```
$str8 = " need to read data where has to go ";
echo $str 8output: double quotes in the string
echo " PHP work $str8
output: PHP work need to read data where has to go
```

Q8. Explain how php string interpolation is done?

The interpolation is adding variables in among a string data. PHP parses the interpolate variables and replaces this variable with own value while processing the string.

Q9. How to convert string to an array in PHP?

The str_split function used to partition of the **string** into equal length. Then the string part becomes an array element. The array element contains the remaining end string.

```
$str1 = 'abcdefghijklmnopqrstuvwxyzpq';
$split1 = str_split($str1, 5);
print_r($split1);
```

OUTPUT of the following code

- [0] = abcde
- [1] = fghij
- [2] = klmno
- [3] = pqrst
- [4] = uvwxy
- [5] = zpq

Q10. What is Heredoc in PHP?

The **Heredoc** in PHP syntax is a write multi-line string inside PHP without using the **single quote** and **double quotes** delimiters. It works using <<< symbol and a token is a mark the end of the string.

Q11. List some PHP library string functions?

The **String function** used For manipulation the string in PHP.

- Strlen()
- Strcpy()
- Strcat()
- Strcmp()
- Strwr()
- Strupr()

Q12. What is use of strtoupper in PHP?

The **strtoupper()** function in PHP allows converting the lowercase alphabet into the uppercase alphabet in the string.

Q13. How to find capital letter in string php?

To find out the **capital letter**, the **ctype_upper()** function is used in PHP. In the string, check the character is in uppercase or not. If a character is uppercase then return True otherwise False.

Q14. Write the syntax of php mb_strtolower function?

PHP mb_strtolower function is used to convert uppercase character into lowercase in the string.

```
$str1 = "I am good ";  
$str1 = mb_strtolower($str1);echo $str1;
```

mb_strtolower function does not affect the Unicode characters also.

```
$str = "??????? ? ???? ???? ??, ????????????? ????";  
$str = mb_strtolower($str, 'UTF-8');  
echo $str;
```

Q15. How to convert array to string in php?

The array converts into a string in PHP using **implode()** function. The example shows the below.

```
$list_arr = array( 'food', 'bread', 'bazar' );  
echo implode( ", ", $list_arr );
```

Q16. What is difference between strpos and strrpos?

The **strpos** and **strrpos** are finding the position of the first occurrence of a string in another string.

The strrpos() function case sensitive or **strpos()** function is not case sensitive.

Q17. How to reverse a string in PHP?

You can use PHP inbuilt function **strrev()** to reverse a string.

Example

```
<?php  
$string="priyag";  
echo $rev_string= strrev($string); // Output gayirp  
>
```

Q18. What is use of TRIM function in PHP?

The trim() function in the PHP used to remove space and predefined function. This function removes white space and other arguments like a new line, brake line from left to right in the string.

Q19. How to add line break in PHP string?

To line break `nl2br()` function and `\n` command use in PHP string.

Example:

```
echo nl2br( " creative writing \n sensitive reading");
```

Please Visit [OnlineInterviewquestions.com](https://www.onlineinterviewquestions.com) to download more pdfs